





ALUMETAL INDUSTRIES

EQUAL ANGLE



SEC.No.	C/L	A	B	T	WEIGHT
2001	12	18.00	18.00	2.12	0.700-0.750
2002	12	25.00	25.00	1.70	0.800-0.900

UNEQUAL ANGLE




SEC.No.	C/L	A	B	T	WEIGHT
2011	12	38.00	25.00	2.00	1.200-1.500




ALUMETAL INDUSTRIES

BULB TEE



SEC.No.	C/L	A	B	T	WEIGHT
2021	12	25.00	25.00	1.20	0.600-0.700


PLAIN TEE



SEC.No.	C/L	A	B	T	WEIGHT
2031	12	18.00	18.00	0.85	0.280-0.350
2032	12	24.00	24.00	0.68	0.280-0.350




SINGLE GLASS CHANNEL



SEC.No.	C/L	A	B	T	WEIGHT
2041	12	9.00	9.00	0.68	0.160-0.190
2042	12	11.00	11.00	0.56	0.160-0.190

DOUBLE GLASS CHANNEL




SEC.No.	C/L	A	B	T	WEIGHT
2051	12	18.00	11.00	0.66	0.310-0.360
2052	12	22.00	11.00	0.90	0.450-0.500




ALUMETAL INDUSTRIES

J - SECTION



SEC.No.	C/L	A	B	T	WT. RANGE
2061	12'	31.40	32.00	3.00	1.800-1.900


SIDE SECTION ' C '



SEC.No.	C/L	A	B	T	WT. RANGE
2071	12'	65.00	31.50	1.50	1.800-2.100



PLAIN ROUND TUBE




SEC.No.	C/L	A	B	T	WEIGHT
2081	12'	18.00	16.04	0.98	0.500-0.700
2082	12'	18.00	15.28	1.36	0.700-0.800
2083	12'	18.00	14.88	1.56	0.800-1.000
2084	12'	50.00	46.00	1.80	2.700

PHOTO FRAME


SEC. NO:- 2091

AI-38



WEIGHT:- 0.300-0.450 kg/12'

SINGLE GLASS CHANNEL




SEC.No.	C/L	A	B	T	WEIGHT
2101	12	9.52	9.52	0.52	0.140-0.170
2102	12	9.52	9.52	0.72	0.180-0.220
2103	12	12.50	12.50	0.55	0.180-0.220
2104	12	12.50	12.50	0.65	0.220-0.250
2105	12	28.40	25.00	1.20	0.900-9.500
2106	12	33.40	25.00	1.20	0.950-1.000




ALUMETAL INDUSTRIES

DOUBLE GLASS CHANNEL



SEC.No.	C/L	A	B	T	WEIGHT
2111	12	16.00	11.00	0.70	0.310-0.360
2112	12	18.00	11.00	0.66	0.310-0.360
2113	12	18.00	11.00	0.80	0.380-0.430
2114	12	18.00	11.00	1.04	0.480-0.530
2115	12	18.50	11.00	0.65	0.310-0.360
2116	12	18.50	11.00	0.80	0.380-0.430
2117	12	18.50	12.00	0.96	0.480-0.530
2118	12	18.50	12.00	1.11	0.550-0.600
2119	12	22.00	11.00	0.63	0.320-0.370
2120	12	22.00	12.00	0.75	0.400-0.450
2121	12	22.00	12.00	1.02	0.550-0.600
2122	12	22.00	12.00	1.20	0.650-0.700
2123	12	25.00	11.00	0.70	0.380-0.430
2124	12	25.00	12.00	0.72	0.400-0.450
2125	12	25.00	12.00	0.93	0.520-0.570
2126	12	25.00	12.00	0.98	0.550-0.600
2127	12	25.00	12.00	1.15	0.650-0.700
2128	12	35.00	12.50	0.68	0.470-0.520
2129	12	35.00	14.00	0.68	0.500-0.550
2130	12	35.00	14.00	0.95	0.690-0.740

GRILL ' Y ' CHANNEL




SEC.No.	C/L	A	B	C	T	WEIGHT
2141	12	31.00	18.00	8.00	0.50	0.250-0.350
2142	12	31.00	18.00	9.00	0.50	0.300-0.400
2143	12	31.00	18.00	10.00	0.68	0.400-0.500
2144	12	31.00	18.00	12.00	0.68	0.400-0.500
2145	12	31.00	18.00	12.00	0.87	0.500-0.600



ALUMETAL INDUSTRIES

"J" CHANNEL


SEC. NO:- 2151



WEIGHT:-0.280-0.350 kg/12'


"F" CHANNEL

SEC. NO:- 2161



WEIGHT:- 0.400-0.550 kg/12'

FLAT PATTI




SEC.No.	C/L	A	B	R	WT. RANGE
2171	12'	25.00	1.20	1.60	0.280-0.330
2172	12'	25.00	1.40	1.60	0.350-0.410
2173	12'	25.00	1.60	2.00	0.410-0.460
2174	12'	25.00	1.75	2.00	0.470-0.520




ALUMETAL INDUSTRIES

ROD



SEC.No.	C/L	A	WT. RANGE
2181	12'	9.000	0.600-0.630
2182	12'	9.100	0.630-0.660
2183	12'	9.400	0.660-0.695
2184	12'	9.700	0.710-0.740
2185	12'	9.800	0.730-0.770
2186	12'	10.00	0.770-0.800
2187	12'	10.70	0.870-0.905
2188	12'	11.40	0.975-1.050
2189	12'	11.60	1.010-1.050
2190	12'	11.90	1.080-1.100
2191	12'	14.40	1.565-1.650
2192	12'	14.80	1.700-1.750
2193	12'	15.50	1.840-1.885
2194	12'	17.30	2.250-2.350

HEXAGONAL ROD




SEC.No.	C/L	A	WT. RANGE
2201	12'	17.40	2.600-2.650
2202	12'	17.80	2.700-2.760
2203	12'	18.70	3.000-3.100



ALUMETAL INDUSTRIES


FLAT BAR



SEC.No.	C/L	A	T	WT. RANGE
2211	12'	25.00	2.000	0.490-0.540
2212	12'	25.00	3.000	0.750-0.850
2213	12'	25.00	5.000	1.200-1.400
2214	12'	25.00	6.000	1.500-1.700
2215	12'	25.00	10.00	2.500-2.700
2216	12'	25.40	5.500	1.250-1.450
2217	12'	25.40	10.00	2.400-2.600
2218	12'	28.00	6.000	1.650-1.850
2219	12'	30.00	6.00	1.750-2.000
2220	12'	30.00	10.00	2.950-3.200
2221	12'	35.00	3.000	1.036-1.136
2222	12'	38.00	6.000	2.200-2.600
2223	12'	38.00	10.00	3.700-4.100
2224	12'	40.00	6.000	2.400-2.600
2225	12'	40.00	10.00	4.000-4.200
2226	12'	50.00	6.000	3.000-3.200
2227	12'	50.00	10.00	4.950-5.150
2228	12'	60.00	10.00	5.800-6.000
2229	12'	75.00	5.000	3.700-3.900
2230	12'	75.00	6.000	4.450-4.650
2231	12'	100.0	6.000	5.900-6.100
2232	12'	100.0	10.00	9.750-9.950
2233	12'	100.0	12.00	11.800-12.200




STEP LADDER



SEC.No.	C/L	A	B	C	T	WT. RANGE
2241	12'	65.00	30.50	6.50	0.90	1.500-1.700
2242	12'	65.00	30.50	6.50	1.10	1.700-2.000

C LADDER



SEC.No.	C/L	A	B	C	T	WT. RANGE
2251	12'	60.00	31.50	40.00	1.50	1.600-1.800
2252	12'	66.00	31.50	40.00	2.40	2.800-3.100
2253	12'	66.00	31.50	40.00	3.00	3.400-3.700




ALUMETAL INDUSTRIES

38X28 CHANNEL

SEC. NO:-2261


AI-29



WEIGHT:- 0.550-0.700 kg/12'


SEC. NO:- 2271

AI-37



WEIGHT:- 0.230-0.350 kg/12'


LADDER STEP



SEC.No.	C/L	A	B	T	WT. RANGE
2281	12'	65.00	30.70	1.60	2.500-2.800




PLAIN ROUND TUBE



SEC.No.	C/L	A	B	T	WT. RANGE
2291	12'	25.00	23.66	0.67	0.500-0.500
2292	12'	30.00	28.88	0.56	0.500-0.600


FLUTED ROUND TUBE



SEC.No.	C/L	A	B	T	WT. RANGE
2301	12'	18.00	16.60	0.70	0.300-0.400
2302	12'	24.00	22.32	0.84	0.460-0.560
2303	12'	28.00	26.46	0.77	0.480-0.580




SEC.No.-2221



SEC.No.	C/L	A	B	T	WEIGHT
2311	16	44.45	34.0	1.70	2.700-3.000

G CHANNEL



SEC.No.	C/L	A	B	T	WEIGHT
2321	12	38.00	38.00	2.00	2.200-2.500